

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	ESA	MEX	PER	PRT	POL
BaseFilm	BCm	Clear, two side heat sealable, one side medium hot slip, one side corona treated	Pasta packaging with automatic stacking	T	N	17, 20, 25, 30	✓	-	-	-	-	-	✓	-	-	
	BCb	Clear, two side heat sealable, one side high COF, one side corona treated	Pet food packaging	T	N	17, 20	-	-	-	-	✓	-	✓	-	-	
ClearFilm	FC	Clear, one side heat sealable, high transparency, optical brightener	Flowers packaging	T	N	30, 35, 40, 50	-	-	-	✓	-	-	-	-	-	
	FCH	Clear, one side heat sealable, high transparency, optical brightener	Flowers packaging	T	N	30, 35	-	-	-	-	-	-	✓	-	-	
FogFilm	SEf-TT	Clear, antifog, two side corona treated	Excellent anti-fog performance in cold applications	T	T	20, 25, 30, 35, 40	-	-	-	-	-	✓	-	✓	✓	
SealFilm	SC	Clear, two side heat sealable, one side corona treated	General use, flexible packaging	T	N	15, 17, 18, 20, 23, 24, 25, 30, 35, 38, 40, 50	✓	-	✓	✓	✓	✓	✓	✓	✓	
	SCx	Clear, two side heat sealable, high wettability on corona treated side	Snack and candy packaging	T	N	25, 30	-	-	✓	-	✓	✓	✓	-	-	
	SL	Clear, two side heat sealable, one side very low SIT, one side corona treated	Inner layer, high-speed packaging	T	N	17, 20, 23, 25, 30	-	-	-	-	✓	✓	✓	✓	✓	
	SA	Clear, two side heat sealable, one side ultra low SIT, one side corona treated	Inner layer, high-speed packaging	T	N	35	-	-	-	-	-	-	-	✓	-	
	SAz	Clear, two side heat sealable, one side ultra low SIT with high-seal integrity, one side corona treated	Inner layer, high-speed packaging	T	N	20, 25	-	-	-	-	-	-	-	✓	-	
SealFilmBio	SCE	Clear, oxobiodegradable, two side heat sealable, one side corona treated	Flexible oxo-biodegradable packaging	T	N	15, 20, 25	-	-	-	-	✓	✓	-	-	-	
TapeFilm	TH	Plain, one side corona treated	Adhesive tapes	T	N	20, 22, 30, 40	✓	-	-	-	-	✓	✓	-	-	
PlainFilm	LH	Plain no sealable, one side corona treated	Outer layer, high-speed packaging	T	N	15, 20, 30, 35	✓	-	✓	✓	✓	✓	✓	-	✓	
	LHH-TT	Plain, high thermal resistance, two side corona treated.	-	T	T	20	-	-	-	-	-	-	-	-	✓	
	LH-TT	Plain non sealable, two side corona treated	Roll-fed labels	T	T	20	-	-	✓	-	-	✓	✓	-	-	

KEY:

Treatment:

- N Untreated
- M Metallized
- T Corona
- F High energy

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com

Matte

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	ESA	MEX	PER	PRT	POL
MatteFilm	SD	Two side heat sealable, one side matte, one side corona treated	Flexible packaging	T	N	17, 20, 25, 30	✓	-	✓	-	✓	✓	✓	✓	✓	
	BD	Two side heat sealable, one side matte, corona treated on reverse side	Flexible packaging	T	N	17	-	-	-	-	✓	-	✓	-	-	
	BDb	Two side heat sealable, one side high COF matte, one side corona treated	Pasta packaging with automatic stacking, Pet food	T	N	20	-	-	-	-	-	✓	-	✓	-	
	LD	Non sealable, one side corona treated	Flexible packaging, stand up pouches	T	N	20	✓	-	✓	-	-	-	✓	-	-	
MatteFilmBio	SDe	Two side heat sealable, oxobiodegradable, one side matte, corona treated on reverse side	Flexible packaging	T	N	20	-	-	-	-	-	✓	-	-	-	

KEY:

Treatment:

- N Untreated
- M Metallized
- T Corona
- F High energy

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com

White and Cavitated

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	ESA	MEX	PER	PRT	POL
PerlaFilm	PC	White cavitated, two side heat sealable, one side corona treated	High speed flexible packaging for ice cream, chocolates	T	N	25, 30, 35, 40	-	-	✓	-	✓	-	✓	✓	✓	
OpaqueFilm	OC	White highly cavitated, two side heat sealable, one side corona treated	Monolayer, high opacity, industrial food or ice cream and snacks packaging	T	N	30, 38, 40	-	-	✓	-	-	-	-	-	-	
WhiteFilm	WC	Full density white, two side heat sealable, one side corona treated	Flexible packaging with good seal strength	T	N	20, 30	-	-	✓	-	-	-	-	✓	-	

KEY:

Treatment:

- N Untreated
- M Metallized
- T Corona
- F High energy

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com

Metallized

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	ESA	MEX	PER	PRT	POL
MetalFilm	ML	Metallized, high barrier, heat sealable with very low SIT	Inner layer, high-speed packaging, food packaging	M	N	15, 17, 20, 25, 30	✓	-	✓	✓	✓	✓	✓	-	-	
	MA	Metallized, high barrier, heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	M	N	15	-	-	✓	-	-	-	-	-	-	
	MC	Metallized, high barrier, heat sealable	Inner layer, high-speed packaging, food packaging	M	N	15, 17, 20, 25, 30	-	-	-	-	-	-	✓	✓	✓	
	MLH	Metallized, high barrier with high thermal resistance, heat sealable with very low SIT	Extrusion laminations, Inner layer, high-speed packaging, food packaging	M	N	15, 17, 18	-	-	-	-	✓	✓	-	-	-	
MetalFilmBio	MLHe	Metallized, oxobiodegradable, high barrier with high thermal resistance, heat sealable with very low SIT	-	M	N	15, 17	-	-	-	-	✓	✓	-	-	-	
MetalFilm+	NL	Metallized, very high barrier, heat sealable with very low SIT	Inner layer, high-speed packaging, food packaging	M	N	15, 17, 20	-	-	-	-	✓	-	✓	-	-	
	NA	Metallized, very high barrier, heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	M	N	15	-	-	-	-	✓	-	✓	✓	-	
MetalFilm++	UA	Metallized, ultra high barrier, heat sealable with ultra low SIT	Inner layer, high-speed packaging, food packaging	M	N	17	-	-	-	-	✓	-	-	-	-	
	UH-MT	Metallized, ultra high barrier, one side corona treated	Middle layer in trilaminations, cold seal receptive, food packaging	M	T	17	-	-	-	-	-	-	✓	-	-	

KEY:

Treatment:

- N** Untreated
- M** Metallized
- T** Corona
- F** High energy

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com



oben | Group

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL
Terphane® Plain	ET-NN	Untreated on both sides	General packaging and industrial application	N	N	12, 18, 23, 30, 36, 50	-	✓	-	✓	-	-	✓	-	-	
	ET-TN	Corona treated on one side	General packaging, structures requiring board lamination, film or paper	T	N	11, 12, 18, 23, 36, 50	-	✓	-	✓	-	-	✓	-	-	
	ET-NA	Acrylic treated on one side	General packaging market, UV and EB printing	N	A	12	-	✓	-	✓	-	-	✓	-	-	
	ET-TA	Acrylic treated on one side, corona treated on reverse side	General packaging market, UV and EB printing in the acrylic side.	T	A	12	-	✓	-	✓	-	-	✓	-	-	
	ET-AA	Two side acrylic treated	Reverse printing and surface lacquer applications. Suitable for hot fill applications	A	A	12, 23	-	-	-	✓	-	-	✓	-	-	
	ET-NR	Copolyester treated with high cross-linking and thermal resistance on one side	Most demanding packaging applications, including hot fill, pasteurization, and retort	N	R	12	-	✓	-	✓	-	-	✓	-	-	
	ET-TR	Copolyester with high cross-linking rate and thermal resistance on one side, corona treated on reverse side	Most demanding packaging applications, including hot fill, pasteurization, and retort	T	R	10, 12	-	-	-	✓	-	-	✓	-	-	
	ETm-TN	Medium slip, corona treated on one side	HFFS and high speed rotogravure processes	T	N	12	-	✓	-	✓	-	-	✓	-	-	
	ETm-NR	Medium slip level, copolyester with high cross-linking rate and thermal resistance on one side	HFFS and high speed rotogravure processes	N	R	12	-	-	-	✓	-	-	✓	-	-	
	ETh-TN	Reduced shrinkage, corona treated on one side	Industrial applications in general. Basefilm for silicone coating as liners for labels	T	N	23, 30	-	✓	-	✓	-	-	✓	-	-	
Terphane® Coex	ET-NF	High adhesiveness copolyester and high energy on one side	Most demand packaging applications, including hot fill, pasteurization, and retort	N	F	8, 10, 12, 18, 19, 23, 30, 36	-	✓	-	-	-	-	✓	-	-	
	ETb-NF	Slip low level, high adhesiveness copolyester and high energy on one side	Packaging that require high COF on external surface to prevent sliding	N	F	12	-	✓	-	-	-	-	✓	-	-	
	ETue-NF	Enzymatic biodegradable, high adhesiveness and energy copolyester on one side	Most demand packaging applications, including hot fill, pasteurization, and retort	N	F	12, 50	-	-	-	-	-	-	✓	-	-	
Terphane® Seal	EC-TC	Heat sealable copolyester on one side, corona treated on reverse side	Reverse printing for gusset sealing design pouches	T	C	12, 15, 19, 23, 36	-	✓	-	✓	-	-	✓	-	-	
	EC-CC	Heat sealable copolyester on both sides	Flow pack and vertical form - fill & seal (VFFS)	C	C	12, 30	-	✓	-	-	-	-	✓	-	-	
	ECy-TC	High seal-strength copolyester on one side, corona treated on reverse side	Tray lids, tamper evident security seals, pillow bags, or flow packs	T	C	12, 15, 20, 30	-	✓	-	-	-	-	✓	-	-	
	ECz-TC	Very high seal-strength copolyester on one side, corona treated on reverse side	Tray lids, tamper evident security seals, pillow bags, or flow packs	T	C	15, 20, 30, 50	-	✓	-	-	-	-	✓	-	-	
	ECzf-NC	Antifog, very high seal-strength copolyester on one side	Tray lids, tamper evident security seals, pillow bags, or flow packs	N	C	30	-	✓	-	-	-	-	✓	-	-	

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL
Terphane® White	ETW-TN	White, corona treated on one side	General food packaging and industrial applications	T	N	12, 23, 50	-	✓	-	-	-	-	✓	-	-	
	ECWz-TC	White, corona treated on one side, very high seal-strength copolyester on reverse side	Tray lids, tamper evident security seals, pillow bags, or flow packs	T	C	15, 30, 36, 50	-	✓	-	-	-	-	✓	-	-	
Terphane® Matte	ETD-NF	Matte, high adhesiveness and high energy on one side	General packaging market, suitable for hot fill applications	N	F	12	-	✓	-	-	-	-	✓	-	-	
Terphane® Twist	ETk-TS	Twistable, corona treated on one side, antistatic treated on reverse side	Monolayer sweet wrapping, candies, pills, etc. Front printing option	T	S	18, 23	-	-	-	-	-	-	✓	-	-	
Terphane® Peel	EP-TC	Heat-sealable peelable on one side, corona treated on reverse side	Tray lids, or tamper evident seals that require easy open	T	C	13, 20, 25, 36	-	✓	-	-	-	-	✓	-	-	
	EPy-TC	High seal-strength peelable heat-sealable on one side, corona treated on reverse side	Tray lids, or tamper evident seals that require easy open	T	C	20, 25, 36	-	✓	-	-	-	-	✓	-	-	
	EPz-TC	Very high seal-strength peelable heat-sealable on one side, corona treated on reverse side	Tray lids, or tamper evident seals that require easy open	T	C	13, 20, 25	-	✓	-	-	-	-	✓	-	-	
	EPf-TC	Antifog, heat-sealable peelable on one side, corona treated on reverse side	Tray lids, or tamper evident seals that require easy open	T	C	13, 20, 25, 30	-	✓	-	-	-	-	✓	-	-	
	EPyf-TC	Antifog, high seal-strength peelable heat-sealable on one side, corona treated on reverse side	Tray lids, or tamper evident seals that require easy open	T	C	13	-	✓	-	-	-	-	✓	-	-	

KEY:

Treatment:

- M Metallized
- N Natural
- T Corona
- A Acrylic
- Q Copolyester
- C Heat sealable
- R Highly Crosslinked Copolyester
- S Antistatic
- F High adhesiveness and high energy
- U PVDC Coating
- D Matte soft touch
- Y LDPE with corona treated
- V EVA Coating with corona treated

Metallized

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant											
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL		
Terphane® Metal	EMCz-MC	High barrier metallized, very high seal-strength copolyester on one side	Trays lids, pillow bags, or flow packs requiring barrier	M	C	15, 20, 30, 50	-	✓	-	-	-	-	✓	-	-			
	EMq-MT	High barrier and adhesion metallized, corona treated on one side	Multi purpose metallized film, suitable for hot fill in 3-ply structures	M	T	12	-	✓	-	✓	-	-	✓	-	-			
	EMq-MF	high adhesion and barrier metallized, high adhesiveness and high energy copolyester on one side	Multi purpose metallized film, suitable for hot fill, and surface printing in 2-ply structures	M	F	12	-	✓	-	-	-	-	✓	-	-			
	EM-MA	High barrier metallized on one side, acrylic treated on reverse side	Structures regarding board lamination, film or paper	M	A	10, 12	-	✓	-	✓	-	-	✓	-	-			
	ENq-MT	Very high barrier metallized and high adhesion on one side, corona treated on one side	High barrier demanding applications, suitable for hot fill	M	T	10, 12	-	✓	-	✓	-	-	✓	-	-			
	EU-MT	Ultra high barrier metallized, corona treated on one side	High barrier demanding applications	M	T	12	-	✓	-	-	-	-	-	-	-			

KEY:

Treatment:

- M** Metallized
- N** Natural
- T** Corona
- A** Acrylic
- Q** Copolyester
- C** Heat sealable
- R** Highly Crosslinked Copolyester
- S** Antistatic
- F** High adhesiveness and high energy
- U** PVDC Coating
- D** Matte soft touch
- Y** LDPE with corona treated
- V** EVA Coating with corona treated

Water Based Coating

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL
Terphane® Shield	RE-UN	High barrier PVDC coating on one side	Packaging that require prolonged shelf life and aroma protection, ex: MAP	U	N	9, 11, 13, 20, 24, 37	-	✓	-	-	-	-	✓	-	-	
	REy-UN	Very high barrier PVDC coating on one side	Packaging that require prolonged shelf life and aroma protection, ex: MAP	U	N	15, 26	-	✓	-	-	-	-	✓	-	-	
VMAT®	RED-UN	Matte, high barrier PVDC coating on one side	Packaging that require prolonged shelf life and aroma protection, ex: MAP	U	N	13	-	✓	-	-	-	-	✓	-	-	
	RE-AD	Acrylic coating on one side, velvety touch supermatte coating on reverse side	Packaging that require prolonged shelf life and aroma protection, ex: MAP	A	D	13	-	✓	-	-	-	-	✓	-	-	
	REs-AD	High slip, acrylic coating on one side, velvety touch supermatte coating on reverse side	Packaging that require prolonged shelf life and aroma protection, ex: MAP	A	D	13	-	✓	-	-	-	-	✓	-	-	

KEY:

Treatment:

- M Metallized
- N Natural
- T Corona
- A Acrylic
- Q Copolyester
- C Heat sealable
- R Highly Crosslinked Copolyester
- S Antistatic
- F High adhesiveness and high energy
- U PVDC Coating
- D Matte soft touch
- Y LDPE with corona treated
- V EVA Coating with corona treated

Extrusion Coating

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant										
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL	
Terphane® Thermal	REM-QY	Metallized BOPET film encapsulated on LDPE with corona treatment, copolyester treated on reverse side	Industrial applications of thermal insulation. Thermal lamination with PE foam or bubble sheets	Q	Y	1210	-	-	-	-	-	-	✓	-	-		
	REM-QV	Metallized BOPET film encapsulated on EVA coating, copolyester treated on reverse side	Graphic industry, metallic finish	Q	V	1210	-	-	-	-	-	-	✓	-	-		

KEY:

Treatment:

- M** Metallized
- N** Natural
- T** Corona
- A** Acrylic
- Q** Copolyester
- C** Heat sealable
- R** Highly Crosslinked Copolyester
- S** Antistatic
- F** High adhesiveness and high energy
- U** PVDC Coating
- D** Matte soft touch
- Y** LDPE with corona treated
- V** EVA Coating with corona treated

Reseal

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL
Terphane® Reseal	LEC-TC	Reseal, Heat-sealable copolyester on one side, corona treated on reverse side	Resealable lid for fresh produce, salads, fruits, nuts, bakery products, cold cuts and sliced cheeses	T	C	47, 54	-	✓	-	-	-	-	✓	-	-	
	LECf-TC	Reseal, antifog, heat-sealable copolyester on one side, corona treated on reverse side	Resealable lid for fresh produce, salads, fruits, nuts, bakery products, cold cuts and sliced cheeses	T	C	47, 54	-	✓	-	-	-	-	✓	-	-	

KEY:

Treatment:

- M Metallized
- N Natural
- T Corona
- A Acrylic
- Q Copolyester
- C Heat sealable
- R Highly Crosslinked Copolyester
- S Antistatic
- F High adhesiveness and high energy
- U PVDC Coating
- D Matte soft touch
- Y LDPE with corona treated
- V EVA Coating with corona treated



oben | Group

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)											
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL			
ClearFilm	CT	High flexibility and transparency, two side heat sealable, one side corona treated	Bread and pasta packaging, refrigerated food	T	N	16, 20, 25, 30, 35, 40, 45	-	√	-	-	-	-	-	√	-			
	CTH	High flexibility, one side heat sealable and corona treated, one side non sealable	Lolipops packaging, grape bags, laminations with PE	T	N	20	-	√	-	-	-	-	-	-	-			
FogFilm	CCf	Antifog, two side heat sealable, one side corona treated	Fresh fruits and vegetables packaging	T	N	35	-	-	-	-	-	-	√	-				
RetortFilm	CR	Retort, one side heat sealable, one side corona treated	Retort pouches as tuna, beans, pet food and baby food. Packaging that undergoes sterilization processes in autoclaves	T	N	60, 70, 80, 100	-	√	-	-	-	-	-	-				
SealFilm	CC	Two side heat sealable, one side corona treated	Bread, pasta, grains, general lamination and textiles packaging	T	N	17, 20, 25, 29, 30, 35, 38, 40, 45, 50, 56, 60	-	√	-	-	-	-	√	-				
	CCH	One side heat sealable, one side corona treated	Laminations with sealable PP or PE	T	N	20, 25, 28, 30, 35, 40, 45, 50, 55, 60, 70, 75	-	-	-	-	-	-	√	-				
	CCHj	Antistatic, one side heat sealable, one side corona treated	Laminations with PE for materials that require antistatic	T	N	25, 30	-	-	-	-	-	-	√	-				
	CL	Two side heat sealable, one side very low SIT, one side corona treated	Packaging pasta, bread and grains	T	N	30, 60	-	√	-	-	-	-	-	-				
	CLH	High transparency, one side heat sealable with very low SIT, one side high thermal resistance and corona treated	Packaging pasta, bread and grains	T	N	50, 55, 60	-	-	-	-	-	-	√	-				
	CA	Two side heat sealable, one side corona treated, one side ultra low SIT	Lamination, very high speed packaging, seal through dust contaminants	T	N	25, 30, 75	-	√	-	-	-	-	-	-				
PlainFilm	CH	Non sealable, one side corona treated	Lamination or yarn bags	T	N	25	-	√	-	-	-	-	-	-				
	CHC	Non sealable, one side corona treated with high adhesiveness	Marshmallows, Laminations with Sealable CPP and PE	T	N	25	-	√	-	-	-	-	-	-				
PeelFilm	CPz	Peelable, high seal strength, one side corona treated	Lidding	T	N	50	-	-	-	-	-	√	-	-				

KEY:

Treatment:

- N** Natural
- T** Corona
- M** Metallized

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com

Metallized

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL	
MetalFilm	CMC	Metallized high barrier, one side heat sealable	Coffee, fruit cake and snacks packaging	M	N	25, 30	-	✓	-	-	-	-	-	-	-	

White

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant (*)									
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL	
WhiteFilm	CWC	White, two side heat sealable, one side corona treated	Chocolates, snacks	T	N	20, 25	-	✓	-	-	-	✓	-	-		
	CTW	White, high flexibility, two side heat sealable, one side corona treated	High performance applications	T	N	40, 50	-	✓	-	-	-	-	-	-		
	CWLH	White, one side corona treated with heat resistance, one side heat sealable with very low SIT	Sachets, snacks, stand up pouches	T	N	25, 28	-	✓	-	-	-	-	-	-		
	CWAHj	Antistatic, white, one side corona treated with heat resistance, one side heat sealable with ultra low SIT	Powder sachets, snacks, stand up pouches	T	N	28	-	✓	-	-	-	-	-	-		

KEY:

Treatment:

- N Natural
- T Corona
- M Metallized

(*) For technical data sheets of films produced in Portugal and Poland, please contact the EU Sales team at saleseurope@obengroup.com



BRÜCKNER

oben | Group

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		ARG	PER	ECU	COL	ESA	MEX	PRT	POL		
PlainFilm	HLH	Good stiffness and thermal resistance, one side corona treated	Snacks, nuts, fresh fruits and vegetables, frozen fruits, stand-up pouch for pets, super premium pet food	T	N	25	-	-	√	-	-	-	-	-	-	

KEY:

Treatment:

- N Untreated
- T Corona

Transparent

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL	
PlainFilm	AT	One side corona treated	Frozen foods, dairy products, vacuum packaging, lids for plastic trays	T	N	8, 12, 13, 15, 20, 25	-	✓	-	-	-	-	-	-	-	
	AT-TT	Two side corona treated	Stand-up pouches (liquids), bag in box, medical applications	T	T	12, 15, 25	-	✓	-	-	-	-	-	-	-	
	ATr	Retortable, one side corona treated	Frozen foods, dairy products, vacuum packaging, lids for plastic trays that require excellent dimensional stability for printing	T	N	15	-	✓	-	-	-	-	-	-	-	
	ATr-TT	Retortable, two side corona treated	Tuna Fish pouches, prepared food, pet food (with moisture)	T	T	15	-	✓	-	-	-	-	-	-	-	
	ATg	High scratch resistance, one side corona treated	Thermolamination with cardboard for soft covers of books	T	N	12	-	✓	-	-	-	-	-	-	-	
	ATx	High slip level, one side corona treated	Low COF for VFFS packaging	T	N	15	-	✓	-	-	-	-	-	-	-	

KEY:

Treatment:

- N** Untreated
- T** Corona
- M** Metallized
- C** Copolyamide

Commercial Films Catalog

BOPA



Metallized

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant									
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL	
MetalFilm	AM-MN	Metallized, high oxygen barrier, one side corona treated	Helium balloons, flexible packaging	M	N	10, 12	-	√	-	-	-	-	-	-	-	

KEY:

Treatment:

- N Untreated
- T Corona
- M Metallized
- C Copolyamide

OBEN OBEN OBEN OBEN
COATING
OBEN OBEN OBEN OBEN

oben | Group

Commercial Films Catalog

EXTRUSION COATED

Films and Paper

Family	Code of film type	Description of film	Application	Code of treatment		Standard product	Plant										
				Out.	Ins.		Thickness (µm)	ARG	PER	ECU	COL	ESA	MEX	PRT	POL		
ThermalFilm	RH-TV	Glossy BOPP film, corona outside, EVA coating inside	Graphic industry, glossy finish	T	V	15-10	-	√	-	-	-	-	-	-	-	-	
	RD-TV	Matte BOPP film, EVA coating inside, corona outside	Graphic industry, matte finish	T	V	12-06, 15-13, 15-10	-	√	-	-	-	-	-	-	-	-	
	REM-QV	Metallized BOPET film encapsulated on EVA coating, copolyester treated outside	Graphic industry, metallic finish	Q	V	12-10	-	√	-	-	-	-	-	-	-	-	
PolyMetalFilm	RM-YL	Metallized BOPP film encapsulated on LDPE with corona treatment, very low SIT on one side	Snacks with gas flush, longer shelf life	Y	L	17-10	-	√	-	-	-	-	-	-	-	-	
	REM-QY	Metallized BOPET film encapsulated with treated LDPE, Copolyester treated outside	Industrial applications of thermal insulation. Thermal lamination with PE foam or bubble sheets	Q	Y	12-10	-	√	-	-	-	-	-	-	-	-	
PolyPaper	RP-NE	White coated paper, Heat sealable LDPE coating inside		N	E	40-20, 50-20	-	√	-	-	-	-	-	-	-	-	
	RPL-NE	Machine Glassed paper, Heat sealable LDPE coating inside		N	E	40 - 10	-	√	-	-	-	-	-	-	-	-	
	RPK-NE	Natural kraft paper, Heat sealable LDPE coating inside	Sugar sachets, salt, sandwich wrapping and various packaging papers requiring certain barrier to fats	N	E	40-15	-	√	-	-	-	-	-	-	-	-	
	RPK-NB	Natural kraft paper, Heat sealable Biopolymer coating inside		N	B	40-15, 40-20	-	√	-	-	-	-	-	-	-	-	
	RPG-NE	Machine Glassed paper, Heat sealable LDPE coating inside		N	E	40-10	-	√	-	-	-	-	-	-	-	-	

KEY:

Treatment:

N	Untreated
T	Corona
V	EVA Treated
E	LDPE
Y	Treated LDPE
Q	Copolyester

Coating:

V	EVA with Corona treatment
Y	Corona treated LDPE
E	LDPE
B	Biopolymer

PET
SHRINK

BRÜCKNER

oben | Group

Commercial Films Catalog

PET SHRINK

Transparent

Family	Code of film type	Description of film	Application	Code of treatment			Standard product											Plant										
				Out.	Ins.	Thickness (µm)	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL	ARG	BRA	ECU	COL	SLV	MEX	PER	PRT	POL				
ShrinkFilm	TES	Heat-shrinkable	High-speed labeling, industrial applications, flexographic, rotogravure and digital printing, UV and solvent inks	N	N	40, 45, 50, 55, 60	-	-		√	-	-	-	-	-	-	-	-	-	-	-	-	-					
	TESC	High thermal-resistance, heat-shrinkable	High-speed labeling, industrial applications, flexographic, rotogravure and digital printing, UV and solvent inks	N	N	40, 45, 50, 55, 60	-	-		√	-	-	-	-	-	-	-	-	-	-	-	-	-					
	TESX	High performance heat-shrinkable	High-speed labeling, industrial applications, thin-wall containers, vacuum-labeled containers, HDPE containers, irregular-shape containers, resistance and steam tunnels	N	N	40, 45, 50, 55, 60	-	-		√	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

KEY:

Treatment:

N Natural